MEMBRAP RSPECIFICATION SHEET

O2/M-100

Oxygen Gas Sensor in Mini Housing

MEASUREMENT

Operation Principle	3-Electrode Electrochemical
Nominal Range	0 – 30 %
Maximum Overload	100 %
Inboard Filter	-
Output Signal	90 ± 24 μA/%
Resolution (Electronics dependent)	< 0.05 %
T90 Response Time	< 8 sec
Typical Baseline Range (in pure nitrogen)	0.1 %-equivalent
Maximum Zero Shift (+20°C to +40°C)	N.D.
Repeatability	< 2 % of signal
Output Linearity	Linear ¹
Gain	-

ELECTRICAL

Rec. Load Resistor 10 Ohm Bias (V_Sens-V_Ref) -600 mV Conformity to RoHS directive RoHS Compliance

ENVIRONMENTAL

Relative Humidity Range	15 % to 90 % R.H. non- condensing
Temperature Range	-40 °C to 50 °C
Pressure Range	Atmospheric ± 20%
Pressure Coefficient	N.D.
Humidity Effect	none

LIFETIME

Expected Operation Life	3 years in air	2
Expected Long Term Output Drift in air	< ±4% signal / 3 years	
Filter Life	-	
Storage Life	6 months in container	
Rec. Storage Temperature	5 °C – 20 °C	
Warranty Period	12 months from date of dispatch	

Performance data conditions: 20 °C, 50% RH, 1013 mbar **IMPORTANT NOTE**

1) The output signal follows the relationship: S = K Ln (1/(1-C))


2) Lifetime is not limited by the consumption of internal components

3) Further information: See MEM2 Appl. Note Oxygen Sensor

REV.: 08/2018	
Phone: +41 43 311 72 00	
Fax: +41 43 311 72 01	
Email: info@membrapor.ch	
www.membrapor.ch	
The data contained in this document is for guidance only. Membrapor AG accepts no liability for any conseque from the use of this document or from any omissions or errors herein. Customers should test under their own	

Miniature-Size Outline Dimensions

BOTTOM VIEW



± 0.10 mm

MECHANICAL

Weight	5.5 g
Position Sensitivity	None

APPLICATIONS

Oxygen Monitoring in Diffusion Mode Continuous Air Quality Monitoring Safety and Environmental Control

CROSS-SENSITIVITY DATA

The table below does not claim to be complete. Interfering gases should not be used for calibration.

Interfering Gas	Conc.	Reading
	ppm	%
H ₂ S	500	-0.02
SO ₂	200	-0.01

Page 1 of 3

MEMBRAPOR AG Birkenweg 2 CH-8304 Wallisellen

Switzerland

Т ential losses, injury or damage resulting conditions, to ensure that the sensors fr are suitable for their own requirements.



MEMBRAPORSPECIFICATION SHEET O2/M-100

Oxygen Gas Sensor in Mini Housing

TEMPERATURE DEPENDENCE

The output of an electrochemical sensor varies with temperature. The graphs below show the variation in output with temperature for this type of sensor. The results are shown in the graphs as a mean for a batch of sensors. The sensitivity dependence is expressed as a percentage of the signal at 20 °C. The shift in baseline is shown in ppm referenced to 20 °C and a relative humidity of 50%.

Please note:

It is highly recommended to acquire the temperature dependence curves with the whole instrument. The sampling system, the humidity, the electronics, the interaction between the electronics and the sensor, all have a significant impact on the temperature dependence of the final measurement reading.




Figure 1: Sensitivity dependence expressed as a percentage of the signal at 20 °C. The result is shown along with confidence intervals corresponding to ±3 times the standard deviation.

REV.: 08/2018	Page 2 of 3	
	5	
Phone: +41 43 311 72 00	MEMBRAPOR AG	
Fax: +41 43 311 72 01	Birkenweg 2	
Email: info@membrapor.ch	CH-8304 Wallisellen	
www.membrapor.ch	Switzerland	
The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.		

MEMBRAPOR SPECIFICATION SHEET

O2/M-100

Oxygen Gas Sensor in Mini Housing

LINEARITY AND RESOLUTION




Figure 2: Linearity of O₂-Sensor




Figure 3: Resolution of O₂-Sensor

REV.: 08/2018	Page 3 of 3
Phone: +41 43 311 72 00	MEMBRAPOR AG
Fax: +41 43 311 72 01	Birkenweg 2
Email: info@membrapor.ch	CH-8304 Wallisellen
www.membrapor.ch	Switzerland
The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.	