



PAB Akrapović

PAB FIRE HT 04

COMPOSITE



No responsibility assumed for any printing errors. / Due to the continuous development and improvement of our products, including those shown in this catalogue, there may be certain technical differences between the indicated and the actual characteristics of the currently available products. This applies to technological, technical and design features. / SEP 2017

PAB FIRE HT 04

COMPOSITE

Designed to protect the head under the most extreme conditions. Optimal relationship between protection and comfort with a broad spectrum of optional upgrades. Structural firefighting has never been safer.

PERFORMANCE

- Extreme temperature resistance (up to 1,000°C in a 10 second flash over flames)
- Long-term temperature resistance (up to 250°C / 30 min, radiant heat test 14 kW/m²)
- High resistance to mechanical impacts
- Low-temperature classification -40°C

SAFETY

- Electrical insulation capacity E2 and E3
- Full head protection (including neck and face)
- Interior shock absorber
- Reflective elements for better visibility in low-light conditions
- Neck protector (standard version - aluminised fibre, Nomex®, genuine leather or allaround "Holland style" version - impregnated wool)
- 3 point chinstrap (tested to prevent skin irritation, fire retardant aramid tape)
- Chemical resistance (according to EN 443)

COMFORT

- Lightweight
- Integrated adjustment system (52-64 cm)
- Wide range of accessories and high level of personalisation

WEIGHT

- 1500 g ± 30 g (basic configuration, without neck protector)
- 1575 g ± 30 g (basic configuration, with aluminised neck protector)

HIGH TECH MATERIALS

- Flame retardant and high temperature resistant composite
- Anti-scratch and anti-fog coated integrated visor (EN 14458:2004)
- Anti-scratch and anti-fog coated integrated goggle (EN 166 and EN 14458)

MADE IN EUROPE



CERTIFICATES

EN 443:2008 | EN 14458:2004 | EN 166:2004 | © MED Approved

ACCESSORIES



Compatible with full face mask

COLOR SCALE



Your PAB Akrapović partner:

PAB Akrapović

Most 26, HR-52420 Buzet, Croatia
P +385 52 662 662 | F +385 52 662 254
info@pab.hr | www.pab.hr