



The BIG FOOT sign & labelling system!



Maintenance labels | Health and Safety | Traffic Management
Container labelling | Tanks and Vessels | GHS marking
Process marking | Public Information | Vehicle marking

SMS-900 - Big Messages - Delivered in-house, in minutes and in colour!

Designed to produce large, bold, long lasting heavy duty signs and labels. The SMS-900 is a solidly engineered system, built for heavy industrial environments and high workloads. Complete with Microsoft® approved design software and an enormous library of industrial symbols and signs, the SMS-900 has a large range of high visibility, high durability materials. Multiple colour signs are easily created using our range of A4 and A5 die-cut pre-printed 'signs on a roll'.











With the SMS-900 you can easily create all of the labels below!



12.000KG MAX

















R8, R25, R43, R49, R50/53

Stimulates the ignition of flammable substances Toxic if swallowed

TOXIC is swallowed.
May cause sensitization by skin contact
May cause cancer by inhalation
Very toxic to aquatic organisms, may cause long-term damaging effects
in the aquatic environment

\$45, \$53, \$60, \$61

343, 353, 364, 361
In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
Avoid exposure - obtain special instructions before use
This material and its container dispose as hazardous waste
Avoid release into the environment, Request special instructions / safety data

STANDARD TAPE QUALITIES:


- Industrial Vinyl (E300) Standard 3-5 year, perfect for most applications.
- Premium Vinyl (ST700) High quality 5-7 year, for higher durability.
- High-Tack (HT700) High tack adhesive, ideal for difficult surfaces like wood, concrete, oil and low friction plastics.
- Polyester (PT700) High tack adhesive, high temperature, low halide ideal for machine plates and pipes.
- High Temperature Tape (H250) High tack adhesive and extra high temperature resistance.
- Cold Weather Tape (CW200) Good adhesion to extremely cold surfaces.





CAUTION 9'-6" HIGH







CHEMICAL WASTE DEPOT 08:00AM - 12:00PM













SPECIAL MATERIALS:

RePlace Tape (RE300) - The perfect alternative for magnetic tape. Repositionable tapes that not only stick on metal but also surfaces like plastic, cardboard and wood. Ideal for logistics.

Removable Tape (R300) - Removable tape for temporary signs.

Reflective Tape (RT500) - Reflective tape for indoor and outdoor usage.

Fluorescent Tape (FL500) - Fluorescent tape with a very high visibility.

Photoluminescent Tape (RG500) - Glow-in-the-dark tape for signs that need to remain visible after a power cut.

Tags (T100) - Non-adhesive, untearable tags. Available in continuous and die-cut materials.

Die-cuts - Durable industrial die-cuts. Available in several qualities, colours, shapes en sizes.



SMS-900 - For the BIG and IMPORTANT messages

The SMS-900 is an ideal solution to 'on demand' sign and label requirements.

Fast and easy to use, the SMS-900 helps you to get important safety messages and identification in place in minutes. The heavy duty print head, heavy duty cutter assembly and the large range of materials mean the SMS-900 is long lasting and a major advantage when big signs and labels are needed fast.

A dependable system, delivered with top class software!



- Professional software with extensive print & design capabilities
- Easy to use Design Wizards speed up production
- Design and edit texts, barcodes, lines, shapes and images
- · Advanced functionality for multiple field linking
- Powerful ' form' designer for standardised layouts with user data entry
- Thousands of industrial symbols and icons in compliance with the latest regulations
- Advanced design tools like rich text, linestyles, group, textframes with automatic font size
- Advanced 'tiling' function for larger signs (NiceLabel Pro)
- Easily import data into your labels from data bases and spread sheets (Excel, Acces)
- Microsoft® certified software

Printer specifications

Printing Method	Direct Thermal & Thermal Transfer
Resolution	300dpi
Speed	Min. 25,4 ~ Max. 102mm/s (1 ~ 4ips)
Print Length	Max. 2700mm
Print Width	Max. 219,5mm
Dimensions	L 504mm x W 440mm x H 336mm
Weight	23,2kg
Sensors	1x "Reflective" / 1x "Transmissive" / 1x "Printhead up" / 1x "Ribbon end"
Operation Interface	1x On/Off / 6x buttons (Menu, Pause, Feed, Up, Down, Select)
Connectivity	Centronics, RS-232, USB, Ethernet, SD-card
Agency Listing	CE, FCC, cTUVus, UL, CUL, RoHS, WEEE
Media Type	Roll-feed, Die-cut, Continuous, Tags
Ribbon Type	Wax, Resin, Wax/Resin

Visit our comprehensive website to review the large range of material available! www.rebosystems.com





Rebo B.V.
Beckeringhstraat 21
3762 EV Soest
Netherlands

© +31 (0)35 - 601 69 41

@ info@rebosystems.com

♥ sales@rebo.nl

www.rebosystems.com