

# DEVOLD® THERMAL

FLAME RETARDANT WOOL MID LAYER

**DEVOLD® THERMAL** made from 100 % wool jersey, provides good protection against coldness, radiant heat and flames. The garments have a smooth outer surface to give the best protection. Wool is voluminous and airy and has excellent insulation properties against coldness. With Devold® Thermal, the wearer keeps warm even at rest, since wool can absorb significant amounts of moisture without feeling wet. Devold® Thermal is user-friendly with side panels, and thumb loops to maximize protection and isolation. Wool does not melt, and Devold® Thermal is Zirpro treated to give extra flame retardant properties. The garments are also antishrink treated to give dimensional stability.



↑

177-241 950 THERMAL zip neck  
Colour: Black Size: S-XXL



↑

177-250 950 THERMAL jacket  
Colour: Black Size: XS-XXL



↑

177-100 950 THERMAL long johns  
Colour: Black Size: S-XXL

## PRODUCT SPECIFICATIONS

Material:	100% pure new wool
Structure:	Single jersey - brushed inside
Weight:	470 g/m <sup>2</sup> +/-10%
Thickness:	1,5 mm at 50 g load per cm <sup>2</sup>
Special treatment:	ZIRPRO / Preshrunk

## TEST FOR FLAME RETARDANT PROPERTIES

EN 11612: Standard describing requirements for protective clothing for workers exposed to heat and flame.

Test descriptions and certificates at [www.devold.com](http://www.devold.com)

	RESULT	REQUIREMENT
1. Surface ignition: EN 15025-A1/A2	Pass	Pass
2. Convective heat: EN 9151	B2	B1
3. Radiant heat: EN 6941	C2	C1

ARC RESISTANCE TEST: EN 61482-1-2



↑

177-910 950 THERMAL hood  
Face opening Colour: Black Size: 0/S



↑

175-800 950 THERMAL collar  
Colour: Black Size: 0/S

THERMAL collar is rib knitted from 100 % pure new wool. Flame retardant according to EN 11612.

