

Dräger X-plore® 8000 Powered Air-Purifying Respirator (PAPR)

Challenging workplace conditions demand reliable solutions. The Dräger X-plore® 8000 offers a new level of intuitive handling combined with intelligent electronics that provide the high degree of safety your people need to focus on the task at hand.



Intelligent alarm system

Two-step alarm concept with differentiation of risk level

Lithium-ion technology

Operating time between 4 and 20 hours depending on the working conditions and system set-up

IP65 protection

IP65 for optimal protection and easy decontamination

Filter recognition

Advanced sensor technology recognises the correct filter and displays particle filter saturation properly

Hose identification

Automatic adjustment of minimum flow rate for attached headpiece

Benefits

Robust: Designed for daily use in tough environments

Let's face it: for your workplace, only the most rugged design will do. The Dräger X-plore 8000 features heavyduty design with rubber protectors and high ingress protection (IP65) against dust and water jets from any direction. Two battery versions incorporating the latest Li-ion battery technology provide power for at least 4 h or 8 h, respectively. Protected air intake openings ensure that sparks or water coming from the front will not be sucked into the filter.

Comfortable: Let the user focus on the task

The Dräger X-plore 8000 lets your employees do their job and forget about the PAPR they need for proper personal protection. The advanced carrying system ensures optimal distribution of the weight. The system provides a tight and stable connection between the belt and the unit through a special adaptor plate; a comfort pad is also available as an option. The hose connector features a 360° click adaptor. New headpieces are designed for optimal airflow and maximum comfort to avoid unpleasant eye irritation.

Safe: Self-explanatory operation minimises user error

The unit recognises connected headgear and automatically selects the correct minimum flow rate, avoiding leakages caused by insufficient flow rates. An optical sensor prevents use without the filter and supports the right display of the saturation of the particle filter at any time. The filter system features plug-and-go exchange. In addition to the optical and acoustical alarm, the unit is also equipped with a vibration alarm. The entire system features uniform colour codes on all exchangeable elements and an error-proof hose connector.

Easy to maintain: Efficient cleaning together with secure operation

The Dräger X-plore 8000 was designed to be practically maintenance free, leading to low cost of ownership. The self-check and self-adjustment systems feature advanced temperature and pressure sensor technology to ensure the right flow rate for any environment. The simple and efficient charging system allows rapid charging (under 3h for an empty battery). The unit is designed for fast and easy disassembly for cleaning.

Modular: A wide range of components for every application

The Dräger X-plore 8000 offers a number of user-friendly standard and specialised carrying systems for standard and decontamination applications. Dräger has also developed a wide range of tight- and loose-fitting headgear such as half and full-face masks, short and long hoods and helmets with visor and protective visor. Standard and enhanced flexibility hoses are available and compatibility is ensured. Components and accessories can be combined to best fit your application, and system upgrades are possible at any time.

System components



Dräger X-plore® 8000 Batteries

Lithium-ion battery for Dräger X-plore® 8000—available as a standard battery with a rated battery life of at least 4 hours* or as a long-life battery with a rated battery life of at least 8 hours*.

(*at 210 L/min and with P3 filter)



Dräger X-plore® 8000 Charger

The Dräger X-plore® 8000 charging system can charge a flat battery in approximately three hours. The battery will be at least 80% charged after two hours.



Dräger X-plore® 8000 Filter

The Dräger X-plore® 8000 filter series offers an extensive programme of various filter types for all essential application fields and protects against a number of gases and vapours.



Dräger X-plore® 8000 Belt

Three belt versions are available for the Dräger X-plore® 8000 series: a standard belt, a decon belt (each with an optional belt extension) and a welding belt.

System components



Dräger X-plore® 8000 Hood

Dräger X-plore® 8000 hoods are available as a standard version or a premium version, and in short or long models. Using these hoods is advisable in all areas where additional head and eye protection is not mandated by regulations.



Dräger X-plore® 8000 Helmets and Visors

The Dräger X-plore® 8000 helmets and visors are particularly suitable for industrial environments in which head and eye protection is required. In addition to a protective visor and a helmet with a visor, the portfolio also includes a special visor for welders.



Dräger X-plore® Half-Masks and Full Masks

The Dräger X-plore® half-masks and full masks offer the highest level of flexibility and optimal protection, including the additional requirements for closed breathing connections.



Dräger X-plore® 8000 Breathing Hoses

The Dräger X-plore® 8000 system offers three different breathing hoses to match your headgear. Hoses are also available as standard or flexible versions.

Accessories



Dräger X-plore® 8000 Comfort Pad

The Dräger X-plore® 8000 standard belt can be enhanced with a comfort pad, thus offering additional wearing comfort.



Dräger X-plore® 8000 Shoulder Harness

The shoulder harness system can be combined with all Dräger X-plore® 8000 belt versions and offers better distribution of weight.



Dräger X-plore® 8000 Prefilter

For use with Dräger X-plore® 8000 particle or combination filters in order to extend the usage period.



Dräger X-plore® 8000 Odour Filters

For use with Dräger X-plore $^{\footnotesize\text{@}}$ 8000 particle filters in order to filter out annoying odours.

Technical Data

Powered Air-Purifying Respirator for protection against a wide range of gases, dust and particles

Approvals	EN 12941 with Dräger X-plore® 8000 Hoods, Helmets and Visors	
	EN 12942 with Dräger X-plore® 4740/6000 half and full-face	
	masks incl. Dräger FPS® 7000 full-face mask	
Ingress protection	IP65 (dust-tight and resistant to water jets from all sides)	
Airflow	Automatic setting of operating type: loose- or tight-fitting	
	headpiece;	
	Adjustable in three levels:	
	Half and full-face mask: 115, 130 or 145 l/min	
	Hoods, Helmets and Visors: 170, 190 or 210 I/min	
Battery technology	Lithium-ions: 12.6 V/3.4 Ah (standard battery),	
	12.6 V/6.8 Ah (high-capacity battery)	
Operating time**	Standard battery life: 4 hours (at 210 l/min and P3 filter)	
	High-capacity battery: 8 hours (at 210 I/min and P3 filter)	
Charging time	Under 3 hours (in two hours 80% can be reached)	
Weight	Approx. 1,400 g (Dräger X-plore® 8500 incl. standard battery and	
	splash guard lid)	
Alarm system	Optical alarm (operating display)	
	Acoustical alarm (≥ 80 dB(A) at 1 m)	
	Vibration alarm	
Belt length	Adjustable between 700 mm and 1,400 mm (standard and	
	decontamination version)	
Belt extension	350 mm (standard and decontamination version)	
** Depending on the adjusted flow and the	concentration of contaminants	

Ordering Information

		Order number
Blower unit	Dräger X-plore® 8500 (IP)	R 59 500
Batteries	Dräger X-plore® 8000	R 59 565
	Standard battery	
	Dräger X-plore® 8000	R 59 585
	High-capacity battery	
Charger	Dräger X-plore® 8000	R 59 580
	Standard charger	
Carrying systems	Dräger X-plore® 8000	R 59 700
	Standard belt	
	Belt extension for	R 59 750
	Dräger X-plore® 8000	
	Standard belt, 35 cm	
	Dräger X-plore® 8000	R 59 730
	Comfort pad	
	Dräger X-plore® 8000	R 59 710
	Decon belt	
	Belt extension for	R 59 760
	Dräger X-plore® 8000	
	Decon belt, 35 cm	
	Dräger X-plore® 8000	R 59 720
	Welding belt	
	Dräger X-plore® 8000	R 59 740

Ordering Information

		Shoulder harness	
Breathing hoses	Standard hoses	Dräger X-plore® 8000 Standard	R 59 630
		hose	
		(for Tight-fitting headpieces)	
		Dräger X-plore® 8000 Standard	R 59 620
		hose (for Hoods)	
		Dräger X-plore® 8000 Standard	R 59 640
		hose (for Helmets and Visors)	
	Flexible hoses	Dräger X-plore® 8000	R 59 610
		Flexible hose (for Tight-fitting	
		headpieces)	
		Dräger X-plore® 8000 Flexible	R 59 600
		hose (for Hoods)	
		Dräger X-plore® 8000 Flexible	R 59 650
		hose (for Helmets and Visors)	
Filter	Prefilter	Dräger X-plore 8000 Prefilter	67 39 730
	Odour-Filter	Dräger X-plore® 8000	67 39 605
		Odour-Filter	
		Dräger X-plore® 8000	67 39 735
		Odour-Filter, Set	
	Particle filter	Dräger X-plore® 8000	67 39 535
		Filter P R SL	
	Gas filter	Dräger X-plore® 8000 Filter A2	67 39 580
		Dräger X-plore® 8000 Filter K2	67 39 585
	Combination filter	Dräger X-plore® 8000	67 39 545
		Filter A2 P R SL	
		Dräger X-plore® 8000 Filter	67 39 550
		A1B1E1 P R SL	
		Dräger X-plore® 8000 Filter	67 39 555
		A1B1E1K1 Hg P R SL	
Accessories		Dräger X-plore® 8000	R 59 690
		Storage box	
		Dräger X-plore® 8000 Hose	R 59 670
		cover, disposable	
		Dräger X-plore® 8000 Hose	R 59 660
		cover, spark proof	

Select the appropriate Dräger X-plore® 8000 respirators for the Dräger X-plore® 8000 PAPR from the available product information: Dräger X-plore® 8000 hood, helmets, visors und masks.

Notes

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany Tel +49 451 882 0 Fax +49 451 882 2080 info@draeger.com

REGION EUROPE SOUTH

Dräger Safety France SAS 25, rue Georges Besse 92182 Antony Cedex Tel +33 1 46 11 56 00 Fax +33 1 40 96 97 20 europe.south@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA Branch Office P.O. Box 505108 Dubai, United Arab Emirates Tel +971 4 4294 600 Fax +971 4 4294 699 contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd 25 International Business Park #04-20/21 German Centre Singapore 609916 Tel +65 6308 9400 Fax +65 6308 9401 asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L. Complejo Business Park, V tower, 10th floor Panama City Tel +507 377 9100 Fax +507 377 9130 contactcsa@draeger.com

Locate your Regional Sales Representative at: www.draeger.com/contact

