

Standard kits available from stock

Suitable for use on a variety of roof types

Built using Kee Klamp® fittings

Delivered part assembled

A range of modular, off the shelf step overs that provide a safe means of access where obstructions exist on a roof such as pipework, plant equipment and conduits.

- Standard kits are suitable for membrane, asphalt, concrete and PVC roofs
- Bespoke options for metal and standing seam roofs available
- · Also suitable for use in warehouses and factories
- Kits offered in a range of standard sizes
- Supplied flat packed with full assembly instructions
- Designed in accordance with BS EN 14122-3

Kee Safety Limited

Cradley Business Park, Overend Road, Cradley Heath, B64 7DW, UK T +44 (0)1384 632 188 · F +44 (0) 1384 632 192
E sales@keesafety.com · www.keesafety.co.uk





Step-Over Platform Kits

STEP-OVERS FOR MEMBRANE / ASPHALT / PVC ROOFS





Step over shown with 440 base feet for membrane/asphalt/ PVC roofs.

Roof Type	Obstacle Height (mm)	Obstacle Width (mm)	Foot Type	Working Height	Part Number
Membrane/Asphalt/PVC	600	1000	440-7	800	STMB600
Membrane/Asphalt/PVC	800	1000	440-7	1000	STMB800
Membrane/Asphalt/PVC	1000	1000	440-7	1200	STMB1000
Membrane/Asphalt/PVC	1200	1000	440-7	1400	STMB1200
Membrane/Asphalt/PVC	1400	1000	440-7	1600	STMB1400
Membrane/Asphalt/PVC	1200	1200	440-7	1400	STMB1212
Membrane/Asphalt/PVC	1400	1400	440-7	1600	STMB1414

STEP-OVERS FOR CONCRETE FLOORS / RESTRICTED ACCESS ROOFS*





Roof Type	Obstacle Height (mm)	Obstacle Width (mm)	Foot Type	Working Height	Part Number
Concrete	600	1000	62-7/63-7	800	STCR600
Concrete	800	1000	62-7/63-7	1000	STCR800
Concrete	1000	1000	62-7/63-7	1200	STCR1000
Concrete	1200	1000	62-7/63-7	1400	STCR1200
Concrete	1400	1000	62-7/63-7	1600	STCR1400
Concrete	1200	1200	62-7/63-7	1400	STCR1212
Concrete	1400	1400	62-7/63-7	1600	STCR1414

^{*}Concrete slab and elastomeric pad to be used on membrane/asphalt/PVC roofs to spread the imposed load from the platform.

BESPOKE STEP-OVER PLATFORMS for metal profile roofs, or if there is a height difference between the platform ends are also available, please contact us for details.