

KLASSEE

SAFETY AND COMFORT

PRESCRIPTION
FRAME

★ EXCELLENCE



20 g



PXFKLAS401R

SUPPLIED WITH

Hard case,
microfibre cloth



FRAME

• TR90 / GRIFLEX

LENS MATERIAL AVAILABLE



• CR39
• Polycarbonate
• Trivex

- + LIGHT AND FLEXIBLE FOR MAXIMUM COMFORT
- + BIO-SOURCED MATERIALS
- + SIDE, TOP AND BOTTOM PROTECTIONS
- + BI-MATERIAL FRAME FOR MORE FLEXIBILITY
- + WIDE FIELD OF VIEW

bolle
SAFETY

KLASSEE

SAFETY AND COMFORT

MODEL	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
KLASSEE	 Navy blue	PXFKLAS401R	55/16		131 mm

LENS MARKING

Polycarbonate lens:

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

CR39 lens:

S. Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5,1 m/s.

Trivex lens:

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

STANDARD ASSEMBLY RESTRICTIONS:

Maximum sphere power: +10/-10

Maximum cylinder compared with sphere : +/-6.


CORRECTED BASE:

Corrected base : 4

FRAME MARKING

EN 166 : guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s
Maximum protection for glasses.

CE European standard  Manufacturer name

Bollé safety product approval certificates to CE standards will be sent on request.

CLEANING AND STORAGE

CLEANING : The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE : Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE : All products must be stored in a dry and clean environment.

PACKAGING AND EAN13 CODE	
	PXFKLAS401R
Per piece	3660740010010

CHARACTERISTICS	
LENS MATERIALS	CR39, Polycarbonate, Trivex
TYPES OF CORRECTIONS AVAILABLE	Single vision - Bifocal - Progressive - Degressive
FRAME MATERIALS	TR90/GRIFLEX



01/04/2020

Europe Bollé Safety
34 rue de la Soie
69100 Villeurbanne - France
Tél. : 00 33 (0) 4 78 85 23 64
Fax : 00 33 (0) 4 78 85 28 56
contact@bolle-safety.com

bolle-safety.com

U.K. Bollé Safety
Unit C83 - Barwell Business Park Leatherhead Road - Chessington
Surrey - KT9 2NY
Tél. : 00 44 (0)208 391 4700
Fax : 00 44 (0)208 391 4733
e-mail : uk@bollebrands.com

bolle
SAFETY